

## Polyurethane Catalyst SMP catalyst SMP sponge catalyst SMP

### Overview:

Name: Polyurethane Catalyst SMP

Alias: polyurethane catalyst SMP, catalyst SMP, amine catalyst SMP, delayed catalyst SMP, hard foam catalyst SMP, sponge catalyst SMP, sponge foaming catalyst SMP, low density sponge catalyst SMP

The catalyst SMP is a low-density sponge or a special delay catalyst for molding, which can increase the foam hardness, and is particularly suitable for sponges with a density in the range of 6-25kg/kg, while increasing the foam hardness by 5-10%;

Because SMP can increase the hardness of the sponge, if you want to maintain the same hardness, you can reduce the isocyanate index by about 2 to 3 points, which is very cost-effective from an economic perspective;

Whether it is in the MC formula or in the formula with fillers (CaCO<sub>3</sub> and melamine), SMP can improve the processability of the foam and reduce cracking;



### use:

SMP is widely used in flexible slabstock foam and heat-curing molding. The recommended dosage is 0.15-0.2 pphp.

Catalyst SMP Amine catalyst SMP Delayed catalyst SMP Hard foam catalyst SMP Low density sponge catalyst SMP Sponge catalyst SMP

### Storage and transportation:

Should be sealed and stored in a dry, cool and ventilated warehouse

### package:

180KG/drum Storage: It is recommended to store in a dry and cool area with proper ventilation. After

the original packaging, please fasten the packaging cover as soon as possible to prevent the water and other substances from mixing into the product and affecting its performance. Do not breathe dust, avoid skin and mucous membrane contact. Smoking, eating and drinking are prohibited in the workplace. After work, shower and change clothes. Store contaminated clothing separately and wash it before reuse. Maintain good hygiene habits.

|                |  |
|----------------|--|
| Company Name:  | Newtop Chemical Materials (Shanghai) Co., Ltd.   |
| Sales Manager: | Hunter   |
| E-Mail:        | <a href="mailto:Hunter@newtopchem.com">Hunter@newtopchem.com</a>                       |
| Tel:           | +86 21-5161 9972   |
| Mobile Phone:  | +86-18301903153  |
| Address:       | Rm. 1104, No. 258, Songxing West Road,<br>Baoshan District, Shanghai, China (Mainland) |
| Website:       | <a href="http://www.newtopchem.com">www.newtopchem.com</a>                             |

## FAQ

Q1: May I get one sample before placing order?

Re: Yes, Sample are available. For normal products, samples are for free and you just need to bear the freight; For those high value products, you just need to freight and certain product cost. When we both cooperate for some times or when you are our VIP customer, free sample will be offered when you need.

Q2: Which payment is available for your company?

Re: T/T, L/C, You can choose the one which is convenient for you.

Q3: How and when can I get my goods after payment?

Re: For small quantity products, they will be delivered to you by international courier (DHL, FedEx, TNT etc.)

or by air. Usually it will cost 3-5 days that you can get the goods after delivery. For large quantity products, shipping by sea is worthwhile. It will cost days to weeks to come to your destination port, which depends on where the port is.

Q4: Is there any possible to use my appointed label or package?

Re: Yes. If needed, we'd like to use label or package according to your requirement.

Q5: How can you guarantee the goods you offer is qualified?

Re: We always believe honesty and responsibility are basis of one company, so whatever products we provide for you all are qualified.