

low odor reactive composite catalyst NT CAT 9726 catalyst 9726

Overview:

NT CAT 9726

Chinese alias: NT CAT 9726, low odor reactive composite catalyst, flat bubble composite amine catalyst, low odor reactive catalyst, soft foam pipeline composite amine catalyst, 9727 substitutes, catalyst 9726, 9726

Description:

NT CAT 9726 is an alternative to ordinary 9727. It is a compound of low-odor, reactive tertiary amines with high activity. Because this product is a reactive catalyst, it has good low-odor and low-atomization performance.

Applications/Product Application:

NT CAT 9726 is mainly used as a medium and high-grade polyurethane foam as a catalyst, and is often used in soft, high resilience and slow resilience products.

NT CAT 9726 has a strong catalytic effect on the gelation reaction and the foaming reaction, especially on the catalysis of polyurethane and hydroxyl groups. The recommended addition amount is 0.08%.

Storage and transportation:

Should be sealed and stored in a dry, cool and ventilated warehouse

Shelf Life/shelf life: 12 months.

FORMULA FOR REFERENCE:

Inspection items

Effective content,% min 99.5

Moisture,% max 0.2



er to the data/reference data:

Typical Properties

Appearance yellowish transparent liquid

Viscosity, 25 °C, mPa.s 200

Flash point, TCC, °C 150

Water soluble

Storage Information:

Store in a cool, ventilated warehouse. Keep away from fire and heat. Prevent direct sunlight. Keep container tightly closed. It should be stored separately from oxidants and edible chemicals, and avoid mixed storage. Equipped with the appropriate variety and quantity of fire equipment. The storage area should be equipped with leakage emergency treatment equipment and suitable containment materials.

package:

200KG/drum Storage: It is recommended to store in a dry and cool area with proper ventilation. After the original packaging, please fasten the packaging cover as soon as possible to prevent the water and other substances from mixing into the product and affecting its performance. Store in a cool, dry place, keep the container sealed and avoid contact with oxides. Do not breathe dust, avoid skin and mucous membrane contact. Smoking, eating and drinking are prohibited in the workplace. After work, shower and change clothes. Store contaminated clothing separately and wash it before reuse. Maintain good hygiene habits.

Company Name:	Newtop Chemical Materials (Shanghai) Co., Ltd.
Sales Manager:	Hunter
E-Mail:	Hunter@newtopchem.com
Tel:	+86 21-5161 9972
Mobile Phone:	+86-18301903153
Address:	Rm. 1104, No. 258, Songxing West Road, Baoshan District, Shanghai, China (Mainland)
Website:	www.newtopchem.com

FAQ

Q1: May I get one sample before placing order?

Re: Yes, Sample are available. For normal products, samples are for free and you just need to bear the freight; For those high value products, you just need to freight and certain product cost. When we both cooperate for some times or when you are our VIP customer, free sample will be offered when you need.

Q2: Which payment is available for your company?

Re: T/T, L/C ,You can choose the one which is convenient for you.

Q3: How and when can I get my goods after payment?

Re: For small quantity products, they will be delivered to you by international courier(DHL, FedEx, TNT etc.)

or by air. Usually it will cost 3-5days that you can get the goods after delivery.For large quantity products, shipping by sea is worthwhile.It will cost days to weeks to come to your destination port, which depends on where the port is.

Q4: Is there any possible to use my appointed label or package?

Re: Yes. If needed, we'd like to use label or package according to your requirement.

Q5: How can you guarantee the goods you offer is qualified?

Re: We always believe honesty and responsibility are basis of one company, so whatever products we provide for you all are qualified.