

spraying composite amine catalyst NT CAT PT1003 PT1003

Overview:

NT CAT PT1003

Chinese alias: low odor reaction type composite catalyst, spraying composite amine catalyst, low odor reaction type catalyst, spraying catalyst, composite amine catalyst, reactive composite catalyst, spraying catalyst PT1003, PT1003 catalyst, PT1003

Description:

NT CAT PT1003 is a kind of yellowish transparent liquid, low odor reaction type composite catalyst. This product is usually better used with NT CAT NJ1082.



Applications/Product Application:

NT CAT PT-1003 is mainly used for rigid foam products with low odor and low fog requirements, such as polyurethane insulation board and spray coating. The recommended dosage is 1.5~5%.

Storage and transportation:

Should be sealed and stored in a dry, cool and ventilated warehouse

Shelf Life/shelf life: 12 months.

FORMULA FOR REFERENCE:

Reference formula

Polyether (including polyester and crosslinking agent) 100 parts

Silicone oil 2.5 parts

Triethanolamine 85% 3~5 servings

NT CAT PT1005 2.6 (2.8 in winter)

NT CAT PT1082 2.2 (2.5 in winter)

T120 0.2 (0.25 in winter)

Physical blowing agent 13 parts

Water

Storage Information:

Store in a cool, ventilated warehouse. Keep away from fire and heat. Prevent direct sunlight. Keep container tightly closed. It should be stored separately from oxidants and edible chemicals, and avoid mixed storage. Equipped with the appropriate variety and quantity of fire equipment. The storage area should be equipped with leakage emergency treatment equipment and suitable containment materials.

package:

200KG/drum Storage: It is recommended to store in a dry and cool area with proper ventilation. After the original packaging, please fasten the packaging cover as soon as possible to prevent the water and other substances from mixing into the product and affecting its performance. Store in a cool, dry place, keep the container sealed and avoid contact with oxides. Do not breathe dust, avoid skin and mucous membrane contact. Smoking, eating and drinking are prohibited in the workplace. After work, shower and change clothes. Store contaminated clothing separately and wash it before reuse. Maintain good hygiene habits.

Company Name:	Newtop Chemical Materials (Shanghai) Co., Ltd.
Sales Manager:	Hunter
E-Mail:	Hunter@newtopchem.com
Tel:	+86 21-5161 9972
Mobile Phone:	+86-18301903153
Address:	Rm. 1104, No. 258, Songxing West Road, Baoshan District, Shanghai, China (Mainland)
Website:	www.newtopchem.com

FAQ

Q1: May I get one sample before placing order?

Re: Yes, Sample are available. For normal products, samples are for free and you just need to bear the freight; For those high value products, you just need to freight and certain product cost. When we both cooperate for some times or when you are our VIP customer, free sample will be offered when you need.

Q2: Which payment is available for your company?

Re: T/T, L/C ,You can choose the one which is convenient for you.

Q3: How and when can I get my goods after payment?

Re: For small quantity products, they will be delivered to you by international courier(DHL, FedEx, TNT etc.)

or by air. Usually it will cost 3-5days that you can get the goods after delivery.For large quantity products, shipping by sea is worthwhile.It will cost days to weeks to come to your destination port, which depends on where the port is.

Q4: Is there any possible to use my appointed label or package?

Re: Yes. If needed, we'd like to use label or package according to your requirement.

Q5: How can you guarantee the goods you offer is qualified?

Re: We always believe honesty and responsibility are basis of one company, so whatever products we provide for you all are qualified.