# Newtop Chemical Materials (Shanghai) Co.,Ltd. Technical Indicators



### Dabco B-16 catalyst CAS280-57-9 Evonik Germany

Dabco B-16 is an amine catalyst used in polyester die-cut flexible plate foams, monolithic skins and microcellular systems. It can provide the effect of improving surface curing.



Here are the details of Dabco B-16:

CAS number: 280-57-9

Alias: Triethylenediamine, N, n-dimethylbenzylamine

Molecular formula: C6H12N2

Molecular weight: 112.17 g/mol

Physicochemical properties:

Properties Numerical value
----------------------------

# Newtop Chemical Materials (Shanghai) Co.,Ltd. Technical Indicators



Properties	Numerical value
Appearance	Colorless liquid
Density	0.87g /mL at 25 °C(lit.)
Boiling point	142 °C(lit.)
Fusing point	-10 °C(lit.)
Refractive index	n20/D 1.447(lit.)

- Precautions for use: Avoid contact with oxidants, avoid inhaling dust, and avoid contact with skin and eyes.
- Main Uses: For polyester die-cut flexible plate foam, whole skin and microporous system.

#### **Shelf life:**

Remain unopened for two years

### **Storage and Transportation:**

Should be sealed, stored in a dry cool ventilated warehouse

#### **Packing:**

200KG/ barrel storage: It is recommended to store in a dry and cool area with proper

Newtop Chemical Materials (Shanghai) Co.,Ltd.

**Technical Indicators** 

ventilation. After the original packaging, please fasten the packaging cover as soon as

possible to prevent moisture and other substances from mixing and affecting the

product performance. Do not inhale dust and avoid contact between skin and mucous

membrane. Smoking, eating and drinking are prohibited in the workplace. Shower and

change after work. Store contaminated clothes separately and use them after washing.

Practice good hygiene.

Technical support and business contacts E-mail: info@newtopchem.com