

CS90 catalyst Dabco CS90 polyurethane catalyst CS90

Product properties:

Name: CS90 catalyst

Alias: CS90 catalyst, CS90, Dabco CS90, polyurethane catalyst CS90, tertiary amine catalyst CS90, powdered amine CS90

CS90 is a tertiary amine catalyst. It is designed for the use of chlorinated solvents for foaming soft bulk foams. It increases air flow rate, improves foam softening, balances foaming and gelation for improved control, and is compatible with other blowing agents.



Physical characteristics:

Appearance: light yellow liquid

Boiling point (°C): >128.89

Density (25°C, g/cm³): 0.96

Water solubility: slightly soluble in water

Flash point (PMCC, °C): 77.22

Vapor pressure (20°C, Pa): 1064

Product Usage:

CS90 is a compound tertiary amine catalyst, specially developed for soft foam foaming with chlorinated solvents;

CS90 provides excellent performance in dichloromethane soft box foam and other traditional foaming systems, such as increased air permeability, enhanced foam flexibility, better balance foaming reaction and gel reaction, easier to control, and other Blowing agent compatible;

CS90 is suitable for medium and high density, high resilience and slow resilience sponges. It can provide

good tolerance in medium and high density. Its activity is 1.4 times that of A33, and the dosage is about 0.6 parts of A33.

CS90 catalyst Dabco CS90 polyurethane catalyst CS90 tertiary amine catalyst CS90 tertiary amine catalyst powdered amine CS90

Storage and transportation:

Should be sealed and stored in a dry, cool and ventilated warehouse

package:

180KG/drum Storage: It is recommended to store in a dry and cool area with proper ventilation. After the original packaging, please fasten the packaging cover as soon as possible to prevent the water and other substances from mixing into the product and affecting its performance. Do not breathe dust, avoid skin and mucous membrane contact. Smoking, eating and drinking are prohibited in the workplace. After work, shower and change clothes. Store contaminated clothing separately and wash it before reuse. Maintain good hygiene habits.

Company Name:	Newtop Chemical Materials (Shanghai) Co., Ltd.
Sales Manager:	Hunter
E-Mail:	Hunter@newtopchem.com
Tel:	+86 21-5161 9972
Mobile Phone:	+86-18301903153
Address:	Rm. 1104, No. 258, Songxing West Road, Baoshan District, Shanghai, China (Mainland)
Website:	www.newtopchem.com

FAQ

Q1: May I get one sample before placing order?

Re: Yes, Sample are available. For normal products, samples are for free and you just need to bear the freight; For those high value products, you just need to freight and certain product cost. When we both cooperate for some times or when you are our VIP customer, free sample will be offered when you need.

Q2: Which payment is available for your company?

Re: T/T, L/C ,You can choose the one which is convenient for you.

Q3: How and when can I get my goods after payment?

Re: For small quantity products, they will be delivered to you by international courier(DHL, FedEx, TNT etc.)

or by air. Usually it will cost 3-5days that you can get the goods after delivery.For large quantity products, shipping by sea is worthwhile.It will cost days to weeks to come to your destination port, which depends on

where the port is.

Q4: Is there any possible to use my appointed label or package?

Re: Yes. If needed, we'd like to use label or package according to your requirement.

Q5: How can you guarantee the goods you offer is qualified?

Re: We always believe honesty and responsibility are basis of one company, so whatever products we provide for you all are qualified.